



Hardware Withdrawal: IBM 7131, 7132, and 7133 Selected Models and Features – Replacements Available

Overview

Effective November 24, 1999, IBM will withdraw from marketing selected models and features of the 7131, 7132 and 7133. For a list of withdrawn products, refer to the **Additional Information** section.

After November 24, 1999, you can no longer obtain these products directly from IBM. This announcement is effective for both new and MES orders.

You can obtain these products on an as-available basis through IBM Business Partners

Replacement Product Information

Withdrawn Product	Replacement Product	Machine/Model Feature
7131-105	2104 Expandable Storage Plus	2104-TL1
7131-405	7133 Serial Disk System	7133-T40
7132-Rep FN 5109	7132-Rep Ordering Vehicle	7132-Rep FN 5409
7132-Rep FN 5118	7132-Rep Ordering Vehicle	7132-Rep FN 5418
7133-020 FN 3901	7133-D40 Serial Disk System	7133-D40 FN 8509
7133-600 FN 3901	7133-T40 Serial Disk System	7133-T40 FN 8509
7133-D40 FN 0521	7133-D40 Serial Disk System	7133-D40 FN 0532
7133-D40 FN 0522	7133-D40 Serial Disk System	7133-D40 FN 0532
7133-D40 FN 0523	7133-D40 Serial Disk System	7133-D40 FN 0533
7133-D40 FN 8209	7133-D40 Serial Disk System	7133-D40 FN 8509
7133-D40 FN 8218	7133-D40 Serial Disk System	7133-D40 FN 8518
7133-T40 FN 8209	7133-T40 Serial Disk System	7133-T40 FN 8509
7133-T40 FN 8218	7133-T40 Serial Disk System	7133-T40 FN 8518

This announcement is provided for your information only. For additional information, contact your IBM representative, call 800-IBM-4YOU, or visit the IBM home page at: <http://www.ibm.com>.

Additional Information

After November 24, 1999, you can no longer obtain these products directly from IBM. This announcement is effective for both new and MES orders.

Description	Machine Type	Model	Feature Number
SCSI Multi-Storage Tower	7131	105	
Dual Host Feature	7131	105	2008
SE/DE Adapter	7131	105	2508
SCSI Tower w/2-9.1 GB Disk Drive	7131	105	2509
CD ROM Drive 600 MB	7131	105	2616
Cable-Adapter-Tower (w/term)	7131	105	2844
Cable-Tower-to-Tower 2.5 m	7131	105	2846
Cable-Tower to Tower 18.0 m	7131	105	2868
Cable-Tower-to-Tower 12.0 m	7131	105	2870
Cable SCSI-2 DE w/term 1.0 m	7131	105	2876
Cable SCSI-2 DE w/term 2.5 m	7131	105	2877
Cable SCSI-2 DE w/term 4.5 m	7131	105	2878
Cable SCSI-2 DE w/term 12.0 m	7131	105	2879
Cable-Tower-to-Tower 1.0 m	7131	105	2882
Cable-Tower-to-Tower 4.5 m	7131	105	2885
Cable-Adapter to Tower	7131	105	2887
SCSI Converter Cable	7131	105	2888
Non Hot-Swap 9.1 SCSI Disk Drive	7131	105	3035
Hot-Swap 9.1 GB SCSI Disk Drive	7131	105	3088
SSD Express Shipment	7131	105	5014
4 MM Tape Drive 4 GB/8 GB	7131	105	6142
8 MM Tape Drive 5 GB/10 GB	7131	105	6147
Reserved for OEM	7131	105	7770
Reserved for OEM	7131	105	7773
Fac Built TWR w/Enh 5 Pk Assembly	7131	105	9050
Cable-Adapter to Tower 1.5 m	7131	105	9130
Cable-Tower-to-Tower 2.5 m	7131	105	9132
Cable-Tower-to-Tower 18.0 m	7131	105	9144
Cable-Tower-to-Tower 12.0 m	7131	105	9146
SCSI-2 Diff f/w PCI-Bus Adapter	7131	105	9152
SCSI-2 Diff f/w PCI-Bus Adapter	7131	105	9153
SCSI-2 Diff f/w PCI-Bus Adapter	7131	105	9154
SCSI-2 Diff f/w PCI-Bus Adapter	7131	105	9155
SCSI-2 Diff f/w PCI-Bus Adapter	7131	105	9156
Cable-Tower-to-Tower 1.0 m	7131	105	9158
Cable-Tower to Tower 4.5 m	7131	105	9161
Adapter to Tower 7131 (no term)	7131	105	9163
SCSI Converter Cable	7131	105	9164
English	7131	105	9300
Dutch	7131	105	9700
Danish	7131	105	9701
Finnish	7131	105	9702
French	7131	105	9703
German	7131	105	9704
Norwegian	7131	105	9706
Portuguese	7131	105	9707
Spanish	7131	105	9708
Swedish	7131	105	9709
U.K.	7131	105	9710
Italian	7131	105	9711
Canadian/French	7131	105	9712
Belgian-French/Dutch	7131	105	9713
Japanese	7131	105	9714
Taiwanese	7131	105	9715
Korean	7131	105	9716
9 Ft (2.7 m) Power Cord, 125 V, 15 A	7131	105	9800
9 Ft (2.7 m) Power Cord, 250 V, 16 A	7131	105	9820
9 Ft (2.7 m) Power Cord, 250 V, 11 A	7131	105	9821
9 Ft (2.7 m) Power Cord, 250 V, 13 A	7131	105	9825
9 Ft (2.7 m) Power Cord, 250 V, 6-16 A	7131	105	9827
9 Ft (2.7 m) Power Cord, 255 V, 10 A	7131	105	9828
9 Ft (2.7 m) Power Cord, 250 V, 16 A	7131	105	9829
9 Foot (2.7 m) Power Cord	7131	105	9830
9 Ft (2.7 m) Power Cord, 250 V, 10 A	7131	105	9831
6 Ft (1.8 m) Power Cord, 125 V, 15 A	7131	105	9986
IBM Trial Loan Program	7131	105	9999

Description	Machine Type	Model	Feature Number
SSA Tower	7131	405	
SSA Tower with 2 9.1 GB Disk Drives	7131	405	2513
SSA Tower 5 9.1 GB Disk Drives	7131	405	2515
SSA Cable 1.0 m	7131	405	2895
SSA Cable 2.5 m	7131	405	2896
SSA Cable 5.0 m	7131	405	2897
SSA Cable 10.0 m	7131	405	2898
SSA Cable 25.0 m	7131	405	2899
9.1 GB SSA Hot Swap Disk Drive	7131	405	3089
SSD Express Shipment	7131	405	5014
Reserved for OEM	7131	405	7770
Reserved for OEM	7131	405	7773
SSA Cable 1.0 m	7131	405	9167
SSA Cable 2.5 m	7131	405	9168
SSA Cable 5.0 m	7131	405	9169
SSA Cable 10.0 m	7131	405	9170
SSA Cable 25.0 m	7131	405	9174
English	7131	405	9300
Dutch	7131	405	9700
Danish	7131	405	9701
Finnish	7131	405	9702
French	7131	405	9703
German	7131	405	9704
Norwegian	7131	405	9706
Portuguese	7131	405	9707
Spanish	7131	405	9708
Swedish	7131	405	9709
U.K.	7131	405	9710
Italian	7131	405	9711
Canadian/French	7131	405	9712
Belgian-French/Dutch	7131	405	9713
Japanese	7131	405	9714
Taiwanese	7131	405	9715
Korean	7131	405	9716
9 FT (2.7 m) Power Cord, 125 V, 15 A	7131	405	9800
9 FT (2.7 m) Power Cord, 250 V, 16 A	7131	405	9820
9 FT (2.7 m) Power Cord, 250 V, 11 A	7131	405	9821
9 FT (2.7 m) Power Cord, 250 V, 13 A	7131	405	9825
9 FT (2.7 m) Power Cord, 250 V, 6-16 A	7131	405	9827
9 FT (2.7 m) Power Cord, 250 V, 10 A	7131	405	9828
9 FT (2.7 m) Power Cord, 250 V, 16 A	7131	405	9829
9 FT (2.7 m) Power Cord	7131	405	9830
9 FT (2.7 m) Power Cord, 250 V, 10 A	7131	405	9831
6 FT (1.8 m) Power Cord, 125 V, 15 A	7131	405	9986
IBM Trial Loan Program	7131	405	9999
9.1 GB Advanced SSA Drive Module	7132	Rep	5109
18.2 GB Advanced SSA Drive Module	7132	Rep	5118
Remote Power-On	7133	010	3001
Power/Cooling Feature 3	7133	010	3003
Disk Drive Module Lock	7133	010	3004
Rack Blanking Plate	7133	010	3005
One 4.5 GB SSA Disk Drive Module	7133	010	3401
4.5 GB SSA Disk Drive Module one of four	7133	010	3404
1.0 m SSA Cable	7133	010	5010
2.5 m SSA Cable	7133	010	5025
5.0 m SSA Cable	7133	010	5050
10.0 m SSA Cable	7133	010	5100
25.0 m SSA Cable	7133	010	5250
SSA Fibre Extender (Pair)	7133	010	5500
Reserved for OEM	7133	010	7770
Reserved for OEM	7133	010	7773
Language Groups - U.S. English	7133	010	9300
Language Groups - French	7133	010	9703
Language Groups - German	7133	010	9704
Language Groups - Spanish	7133	010	9708
Language Groups - Italian	7133	010	9711
Language Groups - Japanese	7133	010	9714
100/200 V 50/60 Hz 300 V DC	7133	010	9850
7190 Mod 100 Attach Support Ref	7133	010	9901
IBM Trial Program	7133	010	9999
Santa Palomba Manufacturing Integration	7133	020	0003

Description	Machine Type	Model	Feature Number
Consol. Center Exception Processing (BP)	7133	020	0600
One 9.1 GB SSA Disk Drive	7133	020	3901
Remote Power-On	7133	500	3001
Power/Cooling Feature 3	7133	500	3003
Disk Drive Module Lock	7133	500	3004
One 4.5 GB SSA Disk Drive Module	7133	500	3401
4.5 GB SSA Disk Drive Module one of four	7133	500	3404
1.0 m SSA Cable	7133	500	5010
2.5 m SSA Cable	7133	500	5025
5.0 m SSA Cable	7133	500	5050
10.0 m SSA Cable	7133	500	5100
25.0 m SSA Cable	7133	500	5250
SSA Fibre Extender (Pair)	7133	500	5500
Reserved for OEM	7133	500	7770
Reserved for OEM	7133	500	7773
Language Groups - U.S. English	7133	500	9300
Language Groups - French	7133	500	9703
Language Groups - German	7133	500	9704
Language Groups - Spanish	7133	500	9708
Language Groups - Italian	7133	500	9711
Language Groups - Japanese	7133	500	9714
Power Cord	7133	500	9800
Power Cord	7133	500	9820
Power Cord	7133	500	9821
Power Cord	7133	500	9825
Power Cord	7133	500	9827
Power Cord	7133	500	9828
Power Cord	7133	500	9829
Power Cord	7133	500	9830
Power Cord	7133	500	9831
Power Cord	7133	500	9833
Power Cord	7133	500	9834
100/200 V 50/60 Hz 300 V DC	7133	500	9850
7190 Mod 100 Attach Support Ref	7133	500	9901
Power Cord (Chicago)	7133	500	9986
IBM Trial Program	7133	500	9999
Consol. Center Exception Processing (BP)	7133	600	0600
Custom Quick Ship Expedite	7133	600	1748
One 9.1 GB SSA Disk Drive	7133	600	3901
HA Cluster Sol. 4.5 GB Serial	7133	D40	0521
HA Solution 8x9.1 GB Option	7133	D40	0522
HA Solution 8x18.2 GB Option	7133	D40	0523
One 9.1 GB Advanced Disk Drive Module	7133	D40	8209
One 18.2 GB Advanced Disk Drive Module	7133	D40	8218
One 9.1 GB Advanced Disk Drive Module	7133	T40	8209
One 18.2 GB Advanced Disk Drive Module	7133	T40	8218

Order Processing

IBM will accept orders for these products only before the withdrawal effective date shown above. If you defer the shipment date currently assigned to an existing order for a withdrawn product, IBM may not be able to supply the product. IBM will process existing orders without assigned shipment dates and new orders on an "as available" basis. This means that if supply is available, IBM will assign an estimated shipment date. Otherwise, IBM will advise you, within one month of the withdrawal effective date, your order cannot be accepted.

At your option, you may cancel existing orders for withdrawn products before shipment without penalty.

Your IBM representative or your IBM Business Partner will be pleased to provide you with information about available replacement products.

Year 2000 Readiness Disclosure

Statements made in this announcement regarding Year 2000 are "Year 2000 Readiness Disclosures" under the Year 2000 Information and Readiness Disclosure Act of 1998, a U.S. statute enacted on October 19, 1998.