

7KTA1

User's Manual Version 1.0

The information presented in this publication has been carefully prepared to ensure reliability ; however, no responsibility is assumed for inaccuracies. Specifications are subject to change without notice.

IBM, PC/AT, and PC/XT are trademarks of International Business Machines Corporation.

Athlon is a trademark of AMD Corporation

AWARD is a registered trademark of Phoenix Software Inc.

MS-DOS and WINDOWS NT are registered trademarks of Microsoft Corporation.

Trademarks and/or registered trademarks are the properties of their respective owners.

Table of Contents

Introduction

1. Motherboard Description

1.1 Features	
1.1.1 Hardware	2
1.1.2 Software	4
1.2 Motherboard Installation	
1.2.1 Layout of Motherboard	5
1.3 Motherboard Connectors	
1.3.1 Front Panel Connector(J1)	7
1.3.2 Floppy Disk Connector(FDD1)	8
1.3.3 Hard Disk Connectors(IDE1/IDE2)	8
1.3.4 ATX 20-pin Power Connector(PW1)	9
1.3.5 Infrared Connector(IR)	9
1.4 Back Panel Connectors	
1.4.1 PS/2 Mouse/Keyboard CONN.	10
1.4.2 USB Connectors(RJ45+USB)	10
1.5 Serial and Parallel Interface ports	12
1.6 CPU Installation	
1.6.1 CPU Installation Product(Socket 462)	14
1.6.2 CPU Clock Selection(SW1,JP4)	15
1.6.3 CPU Ratio Selection(SW2)	16
1.7 Jumper Setting	
1.7.1 CPU Fan Connectors(FAN1/2/3)	17
1.7.2 Wake-On-Modem Header(WOM1)	18
1.7.3 Wake-On-LAN Header(WOL1)	18
1.7.4 AMR Code Select(JP1)	18
1.7.5 CMOS Function Select(JP2)	19
1.7.6 Keyboard Wake up Setting(JP3)	19
1.8 DRAM Installation	
1.8.1 DIMM	20
1.8.2 How to install a DIMM Module	20

Table of Contents

1.9 Audio Subsystem	
1.9.1 CD-Audio-IN Connectors(CDIN1)	21

2. BIOS Setup

2.1 Main Menu	25
2.2 Standard CMOS Features	28
2.3 Advanced BIOS Features	31
2.4 Advanced Chipset Features	35
2.5 Integrated Peripherals	40
2.6 Power Management Setup	44
2.7 PnP/PCI Configurations	49
2.8 PC Health Status	53
2.9 Frequency/Voltage Control	54
2.10 Load Fail-Safe Defaults	55
2.11 Load Optimized Defaults	56
2.12 Set Supervisor/user Password	57
2.13 Save & Exit Setup	59
2.14 Exit Without Saving	60