

Personal Systems Reference IBM WorkPad 1997 to 2002 - withdrawn

April 2002 - Version 237



I≣M WorkPad® - withdrawn

IBM® WorkPad®	8602-10U	8602-20X	8602-30X
Model Color Storage capacity	8602-10U Black 1MB ⁴ (approximately 4000 addresses, 2400 appointments, 750 to do items, 750 memos, 100 e-mails ⁶)	8602-20X Black 2MB / PSRAM (approximately 6000 addresses, 3000 appointments, 1500 to do items, 1500 memos, and 200 e-mails ⁶)	8602-30X Black 4MB / DRAM (approximately 12,000 addresses, 6000 appointments, 3000 to do items, 3000 memos, and 400 e-mails 16)
Flash ROM for OS Palm OS™ version Weight³ Size Keyboard Input device Avail / withdrawn date	Available as an option (OS and applications in ROM) Palm OS 2.0 6 oz /. 17kg (with batteries) 4.7" x 3.2" x 0.7" 119.7mm x 81.97mm x 17.8mm On-screen keyboard Stylus September 1997 / December 1998	OS and built-in applications upgradable in 2MB Flash EEPROM Palm OS 3.0 Same Same Same Same Stylus (heavier; reset pin in cap) April 1998 / June 1999	OS and built-in applications upgradable in 2MB Flash EEPROM Palm OS 3.1 Same Same Same Same Stylus (heavier; reset pin in cap) February 1999 / March 2002
Screen Screen size Battery Battery life ⁷	Monochrome / backlight on demand / 160x160 pixels 2 3/8" x 2 3/8" Two AAA alkaline batteries (standard) 8 to 12 weeks	Same / protective cover Same Same Same Same	Same / protective cover / improved LCD Same Same Same Same
Serial transfer Infrared Modem	Yes / using HotSync® technology and synchronizing cradle Available as an option Option	Same Yes / up to 57.6Kbps / 5cm to 1meter Option	Same Yes / up to 57.6Kbps / 5cm to 1meter Option
Security	User password option	User password option	User password option
Similar product	3Com® PalmPilot™ Professional	3Com Palm III™	3Com Palm IIIx™
Compatible with these mail systems	Lotus® cc:Mail v. 7.0, 6.0 and 2.5, MS Outlook '97, MS Outlook Express, MS Exchange 4.0 or higher, Windows Messaging 4.0, Eudora Pro and Light 3.0.1 or higher, Lotus Notes 4.5²	Same	Same
Limited warranty⁵ Support	One year, courier repair service Toll-free 24x7¹ hardware support during warranty period	Same	Same

OPTIONS

For accessories especially designed for your IBM WorkPad PC Companion, call 1-800-518-2887 in the U.S. and 1-800-891-6342 in Canada.

 IBM WorkPad Modem 10301W or 00N8135 • 2MB and Infrared Upgrade for 10U 10300W Stylus Pens for 10U 10108W Stylus Pens for 20X or 30X 10137W Cradle for 10U 10109W 10138W or 00N8137

Cradle for 20X or 30X · Leather case

00N8138

- ¹ Response time varies. May exclude some holidays.
- ² Requires EasySync for Lotus Notes or Organizer; may be sold separately.
- ³ Includes batteries; actual weight may vary due to vendor components and manufacturing process.

 MB means million bytes, accessible capacity
- may be less.
- ⁵ For terms and conditions or a copy of IBM's Statement of Limited Warranty, call 1 800 772-2227 in the U.S. and in Canada, call 1800426-2255.
- ⁶ Memos or e-mails of approximately 128 characters in length.
- Battery life will vary based on many factors including screen brightness, applications, features, battery conditioning, power management and other customer preferences

IBM reserves the right to change specifications or other product information without notice. This publication could include technical inaccuracies or typographical errors. References herein to IBM products and services do not imply IBM intends to make them available in all countries. IBM provides this publication "AS IS" without warranty of any kind, either expressed or implied, including the implied warranties of merchantability or fitness for a particular purpose. Some jurisdictions do not allow disclaimer of express or implied warranties. therefore this disclaimer may not apply to

IBM and WorkPad are registered trademarks of IBM Corporation. 3Com, Graffiti, Palm Computing and HotSync are registered trademarks of Palm Computing, Inc., 3Com Corporation or its subsidiaries. Lotus, Lotus Notes, Lotus Organizer and EasySync are registered trademarks of Lotus Development Corporation. Other company, product and service names may be trademarks or service marks of others.

© Copyright International Business Machines Corporation, 2002. All rights reserved

IBM Personal System Group Department GFWA 3039 Cornwallis Road Research Triangle Park, NC 27709

March 2002 W₁ wwbook.pdf

MorkPad® c3 - withdrawn

IBM® WorkPad®	c3		с3	
Model Color	8602-40U Black		8602-50U Black	
Processor Storage capacity	Motorola® EZ DragonBall / 68xxx architec 2MB ⁴ / DRAM (approximately 6000 addresses, 3000 app	ointments,	Motorola® EZ DragonBall / 68xxx architecture / 20MHz 8MB ⁴ / DRAM (approximately 10000 addresses, 5 years of 0 appointments,	
Flash ROM for OS	1500 to do items, 1500 memos, and 200 OS and built-in applications upgradeable in 2MB Flash EEPROM	e-mails ⁶)	3000 to do items, 3000 memos, and 400 e-mails ⁶) OS and built-in applications upgradeable in 2MB Flash EEPROM	
Palm OS [™] version Weight³ Size (H x W x D)	Palm OS 3.1 4.2 oz / 119grams (with battery) 4.5" x 3.1" x 0.45" 115.5mm x 79mm x 11.35mm		Palm OS 3.5 4.2 oz / 119grams (with battery) 4.5" x 3.1" x 0.45" 115.5mm x 79mm x 11.35mm	
Case material Keyboard Input device Avail / withdrawn date	Aluminum / black color anodized (not pain On-screen keyboard Stylus / reset pin in cap	ted)	Aluminum / black color anodized (not painted) On-screen keyboard Stylus / reset pin in cap April 2000 / July 2001	
Screen Screen size Battery	Monochrome / backlight on demand / 160x160 pixels 2 3/8" x 2 3/8" Lithium-lon / rechargable only in cradle		Monochrome / backlight on demand / 160x160 pixels 2 3/8" x 2 3/8" Lithium-lon/rechargable only in cradle	
Battery life ⁷	2 weeks		2 weeks	
Serial transfer Infrared Modem	Yes / using HotSync® technology and synchronizing cradle Yes / up to 57.6Kbps / 5cm to 1meter Option		Yes / using HotSync technology and synchronizing cradle Yes / up to 57.6Kbps / 5cm to 1meter Option	
Security	User password option		User password option	
Similar product	3Com® Palm V™		3Com Palm Vx	
Compatible with these mail systems	E Lotus® cc:Mail v. 7.0, 6.0 and 2.5, MS Ou MS Outlook Express, MS Exchange 4.0 o Windows Messaging 4.0, Eudora Pro and or higher, Lotus Notes 4.5 ²	or higher,	Lotus cc:Mail v. 7.0, 6.0 and 2.5, MS Outlook, MS Outlook Express, MS Exchange 4.0 or higher, Windows Messaging 4.0, Eudora Pro and Light 3.0.1 or higher, Lotus Notes 4.5 ² , MS Mail 3.5	
Limited warranty ⁵ Support		varranty period	One year, courier repair service Toll-free 24x7¹ hardware support during warranty period	
FEATURES				

FEATURES

Enter or change information by:

Transferring directly from or to your PC using HotSync technology
Using the built-in on-screen keyboard

· Writing with Graffiti Power Writing software

The WorkPad connects to computers running Windows operating systems through the WorkPad cradle

Attach an optional modem to access the Internet through web browsers, news readers, and other applications that require TCP/IP

OPTIONS

For accessories especially designed for your IBM WorkPad PC Companion, call 1-800-518-2887 in the U.S. and 1-800-891-6342 in Canada.

• IBM WorkPad c3 Modem

 Cradle Travel Kit · Leather case

00N8130 or 10414W 00N8132 or 10416W 00N8133 or 10419W 00N8134

Optional Enterprise Solutions

¹ Response time varies. May exclude some holidays.

² Requires EasySync for Lotus Notes; may be sold separately.

³ Includes battery; actual weight may vary due to vendor components and manufacturing process.

⁴ MB means million bytes, accessible capacity may be less.

For terms and conditions or a copy of IBM's Statement of Limited Warranty, call 1 800 772-2227 in the U.S. and in Canada, call 1 800 465-7999.

6 Memos or e-mails of approximately 128 characters in length.

Battery life will vary based on many factors including screen brightness, applications, features, battery conditioning, power management and other customer preferences

IBM reserves the right to change specifications or other product information without notice. This publication could include technical inaccuracies or typographical errors. References herein to IBM products and services do not imply IBM intends to make them available in all countries. IBM provides this publication "AS IS" without warranty of any kind, either expressed or implied, including the implied warranties of merchantability or fitness for a particular purpose. Some jurisdictions do not allow disclaimer of express or implied warranties, therefore this disclaimer may not apply to

IBM and WorkPad are registered trademarks of IBM Corporation. 3Com, Graffiti, Palm Computing and HotSync are registered trademarks of Palm Computing, Inc., 3Com Corporation or its subsidiaries. Lotus, Lotus Notes, Lotus Organizer and EasySync are registered trademarks of Lotus Development Corporation. Other company, product and service names may be trademarks or service marks of others.

Made in Singapore, Malaysia, China and U.S.; assembled in U.S.



© Copyright International Business Machines Corporation, 2000. All rights reserved

IBM Personal System Group Department GFWA 3039 Cornwallis Road Research Triangle Park, NC 27709

July 2001 WC3 wbook.pdf

国派 WorkPad® c500 and c505 - withdrawn

IBM® WorkPad®	c500		c505
Model Avail / withdrawn date Processor ROM Storage capacity Operating system	8602-60U May 2001 / March 2002 Motorola® VZ DragonBall / 68xxx arcl 4MB⁴ EEPROM / OS and built-in appli flash upgradable 8MB DRAM standard / additional cap Secure Digital (SD™) Card or MultiMe expansion card Palm OS™ 4.0	cations / acity with optional	8602-70U May 2001 / March 2002 Motorola VZ DragonBall / 68xxx architecture / 33MHz 4MB⁴ EEPROM / OS and built-in applications / flash upgradable 8MB DRAM standard / additional capacity with optional Secure Digital (SD) Card or MultiMediaCard expansion card Palm OS™ 4.0
Size (H x W x D) Weight ² Case material Color Screen Screen size Screen backlight	4.5" x 3.1" x 0.45" / 114.30mm x 78.7 4.5 oz / 127grams (with battery) Plastic and anodized aluminum Black Monochrome / touch sensitive 2 3/8" x 2 3/8" / 160x160 pixels (.34mr On demand by pressing and holding p	n dot pitch)	4.5" x 3.1" x 0.5" / 114.30mm x 78.74mm x 12.7mm 4.9 oz / 153grams (with battery) Anodized aluminum Black Color Super Twisted Nematic (STN) / 64K colors / touch sensitive 2 3/8" x 2 3/8" / 160x160 pixels (.34mm dot pitch) On demand by pressing and holding power button
Alert mechanisms Data input method Input device Data synchronization Universal connector Expansion options Expansion slot Infrared	Vibration, audio, or lighted power butto On-screen keyboard, graffiti writing rec Stylus / reset pin in cap HotSync via USB cradle (Windows 95 NTrequires optional serial cable from I via LAN attach ⁸ with optional modem For attachment of expansion options previous WorkPad or Palm expansion Modem, external keyboard Supports Secure Digital or MultiMedia expansion or software application car Up to 115.2Kbps / 10cm to 1meter	and Windows Palm), infrared¹ or (does not support options) Card memory	Vibration, audio, or lighted power button alarms On-screen keyboard, graffiti writing recognition, HotSync Stylus / reset pin in cap HotSync via USB cradle (Windows 95 and Windows NT requires optional serial cable from Palm), infrared¹or via LAN attach ⁸ with optional modem For attachment of expansion options (does not support previous WorkPad or Palm expansion options) Modem, external keyboard Supports Secure Digital or MultiMediaCard memory expansion or software application cartridges Up to 115.2Kbps / 10cm to 1meter
Battery Battery life ³ AC adapter	Lithium-Polymer/rechargable in cradle 21 days or 10.5 total hours of operation Standard universal 100 - 240Vac AC adapter and charger		Lithium-Polymer / rechargable in cradle 18 days or 9.0 total hours of operation Standard universal 100 - 240Vac AC adapter and charger
Security Similar product Compatible Email systems	User password , private record masking Palm® m500™ Lotus cc:Mail (6.0 or higher), Lotus Notes mail, Microsoft Exchange (version 5.0 or higher), Microsoft Outlook 97 (or higher) and Outlook Express, Microsoft Windows messaging, QUALCOMM Eudora (version 3.0.1 or higher), Netscape Communicator (version 4.5 or higher)		User password , private record masking Palm® m505™ Lotus cc:Mail (6.0 or higher), Lotus Notes mail, Microsoft Exchange (version 5.0 or higher), Microsoft Outlook 97 (or higher) and Outlook Express, Microsoft Windows messaging, QUALCOMM Eudora (version 3.0.1 or higher), Netscape Communicator (version 4.5 or higher)
Limited warranty⁵ Support	One year Toll-free 24x7 ⁶ phone support on hardware during warranty period		One year Toll-free 24x7 ⁶ phone support on hardware during warranty period
Components shipped with WorkPad include:			OPTIONS
USB HotSync cradle with charger CD-ROM with desktop software ⁵ and manual Stylus Flip cover User Guides		For accessories especially designed for your IBM WorkPad PC Companion, call 1-800-518-2887 in the U.S. 1-800-891-6342 in Canada.	
		 USB HotSync Cradle Secure Digital Backup Card Slim Leather case 22P5278 22P5278 	
		For a list of WorkPad Proven® 3rd party® accessories available visit	

Requires infrared-equipped PC or notebook.
Includes battery; actual weight may vary.
Battery life is measured by Palm, Inc., and is based on average usage of 30 minutes per day. Battery life will vary based on many factors including applications, features, power management, battery conditioning and other customer preferences.

management, battery conditioning and other customer preferences. MB means million bytes; accessible capacity may be less. For terms and conditions or a copy of the IBM Statement of Limited Warranty, call 1 800 772-2227 in the U.S.; or in Canada, call 1 800 426-2255. Response times may vary. May exclude some holidays. Some software may differ from its retail version (if any) and may not include user manuals or all program functionality. Warranty, service and support for non-IBM products are provided directly to you by third parties, not IBM. IBM makes no representations or warranties regarding non-IBM products. For non-IBM software, applicable third-party software licenses may apply.

may apply.
Using IBM Mobile Connect software, WorkPad PC compan ions can access information via network connection to PCs or remote access servers. A 60-day trial version Mobile Connect comes with your WorkPad PC companion. To continue accessing information via network connection after the initial 60-day period, WorkPad PC companion owners must buy an extended license for IBM Mobile Connect. Visit ibm.com/pvc/products/mobile_connect for more information, or to purchase IBM Mobile Connect.

IBM makes no warranties, either express or implied, regarding WorkPad Proven products and services and any implied warranties of merchantability or fitness for a particular purpose.

ibm.com/pc/thinkpad/proven

IBM reserves the right to change specifications or other product information without notice. This publication could include technical inaccuracies or typographical errors. References herein to IBM products and services do not imply IBM intends to make them available in all countries. IBM provides this publication "AS IS" without warranty of any kind, either expressed or implied, including the implied warranties of merchantability or fitness for a particular purpose. Some jurisdictions do not allow disclaimer of express or implied warranties, therefore this disclaimer may not apply to you. not apply to you.

IBM and WorkPad are registered trademarks of IBM Corporation. 3Com, Graffiti, Palm Computing and HotSync are registered trademarks of Palm Computing, Inc., 3Com Corporation or its subsidiaries. Lotus, Lotus Notes, Lotus Organizer and EasySync are registered trademarks of Lotus Development Corporation. Other company, product and service names may be trademarks or service marks of others.



IBM Personal Computing Division Department GFWA 3039 Cornwallis Road Research Triangle Park, NC 27709

March 2002 WC500 wwbook.pdf

IBM® WorkPad® z50				
Type - model Avail / withdrawn date	2608-1AU April 1999 / February 2000			
Processor type Processor features L1 cache Processor pwr mgmt	NEC® VR4121™ 64-bit MIPS® RISC Microprocessor / 131MHz¹⁴ / 33MHz system bus / BGA 224-pin Integrated peripherals include a memory controller, power mgmt unit, DMA controller, interrupt controller, timers, RTC, 16550-compatible serial controller, IRDA® 1.1 controller, keyboard controller, mono mic input, and A/D and D/A converter 8KB data / 16KB instruction / integrated in processor Full speed, standby, hibernate			
Memory - std / max Memory - features ROM - std / max ROM - features	16MB / 48MB / data (storage) and some appls always active in memory / storage memory limited to max of 16MB EDO DRAM / 60ns / 32-bit / 3.3v / non-parity / 16MB soldered on planar / one slot available for optional memory module 20MB / 32MB / OS and base applications stored in ROM (Read Only Memory) Page Mode MASK ROM / 32-bit / can not be modified but can be upgraded with new ROM installation			
Display - size and type Display - techology	8.2 inch color / DSTN / brightness (8 levels) and contrast controls (32 levels) on right of screen VGA / 640x480 / 350ms / 87 nits (full brightness) / 65,536 simultaneous colors / 50 to 1 contrast			
Keyboard Pointing	77-key / 95% full-stroke alphanumeric (18mm pitch) on 87% foot print / 12 app. launch keys / num keypad / Windows key TrackPoint / Press-to-Select / Release-to-Select			
Ports Serial cable Data/fax modem	No par / VGA DB-15 / serial , 10-pin unique connector, controller in CPU,16550-compatible / Infrared, IrDA 1.1, 4Mbps Standard serial cable / 9-pin connector to PC to communicate with a PC 33.6K15 / V.34 / 14K fax / integrated in system / Rockwell® RP336Lx MDP / integrated DAA / RJ11 connector (left side)			
Audio features Audio in/out jacks	10-bit audio controller in CPU Software volume control / mono speaker (0.5 watt) / microphone / external record button to record with the lid closed Microphone jack (mono) / headphone jack (mono) / both on left side	OPTIONS - 32MB EDO Memory upgrade - IBM 340MB ⁵ microdrive 20L0243 00N8073		
Battery - type / life ³ Battery options	Li-lon / non-intelligent / 8.0 hrs / rear bottom (16 hrs with opt ional High-capapacity battery) High-capacity battery option / replaces standard battery /	- Ultraport Port Replicator 05K5980 - High-capacity Lithium-Ion battery 02K6567 - Parallel/serial printer cable 33L4954		
Charge time Backup battery	part hangs out rear / (includes case to hold 8 AA batteries) 2 to 3 hours Two AAA alkaline batteries in base	SOFTWARE IN ROM ¹⁰ - Microsoft® Windows® CE 3.0, - Handheld PC Professional Edition		
Architecture Graphics - controller Graph - arch/data path	ISA bus subset / NEC VrC4171A PCMCIA and CompactFlash controller ITE® ITE8181 $^{\text{IM}}$ / 4MB / EDO DRAM 50ns / on NEC VR4121 unique bus 32-bit / external SVGA to 800x600 with 65,536 colors at 75Hz	Microsoft Pocket Office Internet Explorer, Outlook , Word , Excel, PowerPoint, Access		
Disk / diskette / optical None supported • Microsoft ActiveSynch				
Storage expansion PCMCIA™ slot CompactFlash slot Port replicator	Optional storage expansion via PCMCIA 1 Type I or 1 Type II or 1 Type III / PCMCIA 2.1 compatible / left side 1 CF+ Type II / Version 1.1 / right side / supports IBM microdrive Option: Ultraport Port Replicator (also called Docking Kit)	Microsoft Voice Recorder Microsoft Expedia Pocket Streets 98 bPrint print spooler bFax fax software bUseful backup software		
AC adapter	Universal , 45 watts, barrel, slim	IBM Rapid Access		
Security	Security keyhole / suspend/resume password	Terminal, InkWriter, calculator, world clock, solitaire		
Dimensions ² / Weight ¹ Limited warranty ⁸	10.2 x 8.0 x 1.0" / 260.0mm x 220.0mm x 26.5mm / 2.6 lbs (1.20 kg) 1 year - ThinkPad EasyServ (door-to-door depot repair service) or carry-in	 ♦ Product Recovery CD-ROM ♦ Applications CD-ROM ♦ Windows CE Services CD-ROM 		

Includes battery; weight may vary due to vendor

components, manufacturing process and options. Thickness may vary at certain points on the system.

Results based on Windows CE battery benchmark test by Microsoft Corporation. Battery life will vary based on many factors including screen brightness, applications, flashes, battery conditioning, power management and other customer preferences.

18mm (95%) main alphabetic typing keys.

MB means million bytes when referring to hard disk drive capacity. Accessible capacity varies. Please check www.pc.ibm.com/us/workpad for

further information.

- Response time varies. May exclude some holidays. On-site service provided after IBM attempts to resolve the problem remotely
- For terms and conditions or a copy of IBM's Statement of Limited Warranty, call 1 800 772-2227 in the U.S. and in Canada, call 1 800 426-
- An IBM Mobile Connect server installation is required to complete the solution. For more information, please contact your IBM representative, or visit www.pc.ibm.com/us/workpad.
 Some software may differ from its retail version (if
- any) and may not include user manuals or all program functionality. Warranty, service and support for non-IBM products are provided directly to you by third parties, not IBM. IBM makes no representations or warranties regarding non-IBM products. For non-IBM software, applicable third-party software licenses may

IBM makes no warranties, either expressed or implied, regarding ThinkPad Proven products and services, including Year 2000 readiness and any implied warranties of merchantability and fitness for a particular purpose.

Available in those countries where IBM and IBM resellers sell and service ThinkPad products. Registration required. Service level is based on the standard service for ThinkPad notebooks in that particular country.

13 The customer may be asked certain diagnostic questions before a courier is sent. Available in the United States for no additional charge during the warranty period. Your ThinkPad purchase includes this depot repair service during the warranty period; it is available after the warranty period for an additional charge.

¹⁴ MHz only measures processor internal clock speed, not application performance. Other factors also affect application performance.

33.6 modem enables transfer speeds over phone networks of up to 33.6Kbps. Actual speeds depends on many factors and are often less than the maximum possible.

As an ENERGY STAR Partner, IBM has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR is a U.S. registered mark.

IBM reserves the right to change specifications or other product information without notice. This publication could include technical inaccuracies or typographical errors. References herein to IBM products and services do not imply that IBM intends to make them available in other countries. IBM provides this publication "AS IS," without warranty of any kind, either expressed or implied, including the implied warranties of merchantability or fitness for a particular purpose.

Some jurisdictions do not allow disclaimer of express or implied warranties, therefore this disclaimer may not apply to you.IBM, the IBM e-business logo, EasyServ, SystemXtra, ThinkPad, ThinkPad Proven, TrackPoint, Universal Management Agent and WorkPad are trademarks or registered trademarks of IBM Corporation. Microsoft, Windows and the Microsoft logos are trademarks or registered trademarks of Microsoft Corporation. Lotus Notes is a registered trademark of Lotus Development Corporation. Other company product and service names may be trademarks or service marks of others.

Made in Taiwan.



© Copyright International Business Machines Corporation, 2001 All rights reserved

IBM Personal Computing Division Department GFWA 3039 Cornwallis Road Research Triangle Park, NC 27709

June 2001 WZ50 wbook.pdf