

IBM PS/2 (Model 25) - Technical Specifications



General information

Machine type: 8525

Announce date: August, 1987

List price: \$2,095.00 (8525-001), 2,595.00 (8525-004)

Excerpt from the original announcement letter;

The Personal System/2 Model 25 is a low price general-purpose computer system which provides enhanced function beyond that established by the IBM Personal Computer. This system utilizes a single element system unit and display design which allows for maximum utilization of desk space and provides high quality graphics consistent with the Personal System/2 family of analog displays. The system is further enhanced with the previously announced IBM Space Saving Keyboard designed for high productivity and with superior touch, or the Personal System/2 Enhanced Keyboard.

System Characteristics

Microprocessor: Intel 8086 (16 bit)

Clock speed: 8 MHz, zero wait states

Coprocessor: socket for optional i8087 math coprocessor

Type of BUS: 8-bit

Total number of expansion slots: 2

Ports: PS/2 keyboard, PS/2 mouse, serial, parallel, audio earphone connector

Memory

Min/Max on system board: 512/640kb

Type of memory:

RAM: DRAM (DIP and MMK) 100-150ns w. parity.

ROM: 40 or 64kb w. MS BASIC-80

Cache: n/a

Physical description

Power supply: 90w (Models 001, C02), 115w (Models 004, C05), 110/220VAC switchable
Weight: 8525-001: 12.7kg (28 lbs), 8525-004: 16.8kg (37 lbs)
Dimensions (HxWxD): (382 x 320 x 375mm)

Mass storage

Drive bays: 2 3.5" half-height

Floppy Disk

Size: 3.5 inch half-height

Capacity: 720KB

Hard disk

Size: 3.5 inch half-height

Capacity: Optional 20MB 80ms or 20MB 38ms

Access time:

Interface: ST-506 PS/2 model 25/30 connector

Display

Size: 12 inch (diagonal)

Display type: Integrated monochrome (models 001, C01) or colour (models 004, C05) analog CRT display

Graphics modes supported: Integrated MCGA Display adapter

64K multiport RAM for displays

CGA compatible (31.5KHz double scanned)

New modes: (31.5KHz)

- 40 by 25 by 16 colours - text (8 X 16 character box)

- 80 by 25 by 16 colours - text (8 X 16 character box)

- 320 by 200 by 256 colours - all points addressable

- 640 by 480 by 2 colours - all points addressable

Palette of 262,144 colours

- Analog drive to internal display

- 70Hz refresh rate in all but 640 by 480 mode

- 60Hz refresh rate for 640 by 480 mode

- Not compatible with digital displays

- Loadable character font capability (512 characters in text modes)

- Colour summing to 64 gray shades in BIOS for monochrome display

Keyboard

Type: Space Saving Keyboard or 101 key enhanced

Software

Operating system: IBM PC DOS Versions 3.30 and later

Configurations

Various memory, diskette drive, hard drive, monitor, and keyboard configurations including;
8525-001 - Single element central processing unit with 12 inch monochrome analog display, 512KB, one 3.5-inch 720KB diskette drive, IBM Space Saving Keyboard.

8525-G01 - As above with Enhanced 101 key keyboard.

8525-F01 - Canadian French with space saving keyboard.

8525-F02 - Canadian French with Enhanced keyboard.

8525-004 - Single element central processing unit with 12 inch colour analog display, 512KB, one 3.5-inch 720KB diskette drive, IBM Space Saving Keyboard.

8525-G04 - As above with Enhanced 101 key keyboard.
8525-F04 - Canadian French with space saving keyboard.
8525-F05 - Canadian French with Enhanced keyboard.

Options

PERSONAL SYSTEM/2 COLLEGIATE KIT

The Personal System/2 Collegiate Kit (#6024772) is comprised of:

- IBM Personal System/2 Mouse
- As a convenience to the end user, IBM has configured portions of the DOS 3.30 and Microsoft(R) Windows 1.04 programs onto diskettes. Additionally, other copyrighted programming materials are provided on diskettes for ease of use and performance optimization. - Four blank 3.5-inch diskettes
- IBM DOS 3.30
- Full Microsoft(R) Windows 1.04, an interactive system environment manager

Carrying Case 78X8954

128KB Memory Expansion Kit 78X8955

3.5-inch (720KB) Diskette Drive 78X8956

Plus many more IBM and 3rd party adapter cards...